



Océ
PlotWave® 300
system

Join the next wave



Simple, green,
durable, all-in-one
large format system

The next wave in:

- Simplicity: easy to use yet powerful; flexible integration with your workflow
- Green technology: cut energy usage in half
- Durability: robust technology, built to withstand workload of multiple users

Join the next wave



Océ PlotWave 300 system

Simple, green, durable, all-in-one large format system



Printing, copying and scanning large format technical documents just got easier for everyone. The next wave of Océ monochrome multifunctional systems starts with the Océ PlotWave® 300 system. It cuts energy usage in half, fits in small spaces, and turns out page after page of nearly flawless documents — without missing a beat. And with the design, construction, and reliability you've come to expect from Océ.

The Océ PlotWave 300 system is designed around your needs and our long understanding of the wide format industry. Today the most advanced architectural, engineering, and construction companies use Océ systems to build the world around us. With over 130 years experience as a printing and document management company, our printing systems are built on quality and real world insights that make the difference. They are developed to be as energy efficient as possible and make the working environment cleaner and healthier for everyone. They undergo rigorous usability tests to guarantee long lasting performance and consistent results. That's the difference you can expect from Océ, the choice of professionals.

Océ PlotWave 300 system

The next wave in simplicity: easy to use yet powerful; flexible integration with your workflow




Print and scan documents at the system with a USB® flash drive. Easily switch rolls on the fly with automated roll changing. Feed originals in face-up with digital width recognition for fewer scanning errors. Say goodbye to damaged prints and backaches with the top delivery tray. Simple but powerful job submission and print management. Easy integration into your IT infrastructure.

The next wave in green technology: cut energy usage in half

Conventional roller-based systems have long warm-up and cool-down periods, which waste time and energy. Eco-friendly

Océ Radiant Fusing technology is designed specifically to provide the most efficient means of fusing toner onto paper. Thin metallic tiles made of a highly durable alloy are used to optimally radiate heat, fusing the toner onto the paper. They heat up and cool down very quickly. That means the system starts up instantly, uses half the energy of comparable systems, makes no noise when it is idling, and requires no extra ventilation to keep it cool. Thanks to a catalytic convertor system virtually no ozone emissions are produced.

All in all, the low noise, heat, and ozone emissions means a healthier working environment.



Simple, green, durable, all-in-one large format system



1 Efficient scroll and click control panel
This design is inspired by the most popular and advanced consumer electronics devices. Simply scroll and click to select templates for routine scanning and copying. Smart buttons and color visuals clearly show you what to do and when.

2 Convenient USB* printing and scanning
Easily print and scan documents, on the spot, with a USB flash drive so you don't have to haul stacks of plans around. Ideal for frequently revised documents.

3 Neat document delivery
Air separation guarantees that up to 50 E-size paper documents are neatly collated and stacked on the top delivery tray. No extra space required for large receiving tables.

4 High quality color scanning with Océ Color Image Logic
Automatically compensates for wrinkles and light colors to produce superior results. Originals are inserted face-up and the width is detected digitally to reduce errors and waste.

5 Automated roll changing
Automated roll changing reduces physical strain. Simply place the roll on the built-in roll loading station. Paper is fed into machine, cut, and sized—completely automatically.

6 Océ high resolution pico printing
Océ high resolution pico printing at 600 x 1200 dpi adds extra dots for smoother results. It produces drawings with finer details, sharper lines, text, and smooth area fills.

The next wave in durability: makes your money go further

The Océ PlotWave 300 system is constructed of solid, hard wearing materials that are designed to make it last longer than comparable systems. Critical components, such as the imaging drum and other moving parts, are completely enclosed to reduce contamination and wear and tear. High use parts, like the paper drawers and panels, are made of reinforced materials to further extend the system's lifetime. The result — a system built to withstand the demands of many users, ideal for a walk-up printing environment.

The next wave in quality: improves your image

Océ Color Image Logic technology automatically produces high quality scans without complex user interaction. Océ high resolution picoprinting technology enables you to consistently produce drawings with fine details, sharp lines and text, and smooth area fills. The right formula for professional results and happier customers.

Fits anywhere

The compact green design of the Océ PlotWave 300 system is ideal if you have limited room. It fits in small spaces and does not require ventilation or an extra large table for stacking.



General	
Description	Monochrome wide format print/copy/scan system with color scanner
Type	Electrophotography (LED) with organic photoconductor (OPC) and closed toner system
Speed	4 D/minute, FPOT (First Print Output Time) from Sleep 42s for a D-size
Warm-up time	Instant with Océ Radiant Fusing technology
Configurations	Printer or Multifunction (print, copy, scan) 1 or 2 rolls
Roll options	1–2 rolls
Output delivery	Compact and ergonomic top delivery tray with air separation; up to 50 E-size plots collated
Power consumption	Active mode: 1.2 kw / Ready mode: 64w
Printer	
Print resolution	600 x 1200 dpi
Paper capacity	Up to 650 ft., max. 2 rolls
Output sizes width	11" x 36"
Output sizes length	16.5" to 49.2'
Paper weight	18–28 lb. bond
Media type (www.oceusa.com/imagingsupplies)	Paper: plain, recycled, colored and transparent; Film: polyester, antistatic and contrast
Controller	
Controller type	Océ PowerM™ controller with Windows XP® Embedded
Memory	1 GB
Hard drive	160 GB
Page description language	HP-GL, HP-GL/2, TIFF, JPEG, DWF, PS/PDF-option, CALS, NIFF, NIRS, ASCII, Calcomp 906/907/951, C4
Scanner	
Scanner type	Contact Image Sensor (CIS) with Océ Color Image Logic technology
Scan resolution	600 x 600 dpi optical resolution
Scan speed	Up to 23 linear ft./min. (copying) and 38 linear ft./min. (monochrome scanning)
Scan format	TIFF, PDF, JPEG, CALS
Scan destination	Local USB flash drive, controller, network via FTP or SMB
Original size width / length	8.2"–36" / 8.2"–630"
Original thickness	Up to 0.03"
Scaling	Scale to standard format, custom scale 10–1000%
Preset modes	Lines & text, lines & text draft, colored, photo, dark originals, blueprint
Print, copy and scan workflow	
General workflow	Concurrent print, copy and scan of single documents or sets
Submission	Single files: Local USB flash drive, Microsoft® certified Windows® driver, Adobe PostScript®3 driver Sets of files: with integrated web based job submission Océ Publisher Express
Job management	Océ Express WebTools single interface to view and control the system via an Internet browser without the need to install additional software Monitor and manage the system status, settings, network configurations, updates, includes Smart Inbox
Templates	Enables recurring tasks to be performed at the touch of a single button. User defined four copy and scan templates

Monochrome wide format print/copy/scan system with color scanner	
Electrophotography (LED) with organic photoconductor (OPC) and closed toner system	
4 D/minute, FPOT (First Print Output Time) from Sleep 42s for a D-size	
Instant with Océ Radiant Fusing technology	
Printer or Multifunction (print, copy, scan) 1 or 2 rolls	
1–2 rolls	
Compact and ergonomic top delivery tray with air separation; up to 50 E-size plots collated	
Active mode: 1.2 kw / Ready mode: 64w	
Printer	
600 x 1200 dpi	
Up to 650 ft., max. 2 rolls	
11" x 36"	
16.5" to 49.2'	
18–28 lb. bond	
Paper: plain, recycled, colored and transparent; Film: polyester, antistatic and contrast	
Controller	
Océ PowerM™ controller with Windows XP® Embedded	
1 GB	
160 GB	
HP-GL, HP-GL/2, TIFF, JPEG, DWF, PS/PDF-option, CALS, NIFF, NIRS, ASCII, Calcomp 906/907/951, C4	
Scanner	
Contact Image Sensor (CIS) with Océ Color Image Logic technology	
600 x 600 dpi optical resolution	
Up to 23 linear ft./min. (copying) and 38 linear ft./min. (monochrome scanning)	
TIFF, PDF, JPEG, CALS	
Local USB flash drive, controller, network via FTP or SMB	
8.2"–36" / 8.2"–630"	
Up to 0.03"	
Scale to standard format, custom scale 10–1000%	
Lines & text, lines & text draft, colored, photo, dark originals, blueprint	
Print, copy and scan workflow	
Concurrent print, copy and scan of single documents or sets	
Single files: Local USB flash drive, Microsoft® certified Windows® driver, Adobe PostScript®3 driver Sets of files: with integrated web based job submission Océ Publisher Express	
Océ Express WebTools single interface to view and control the system via an Internet browser without the need to install additional software Monitor and manage the system status, settings, network configurations, updates, includes Smart Inbox	
Enables recurring tasks to be performed at the touch of a single button. User defined four copy and scan templates	



Options	
Hardware	
Software	
Network information	
Client OS support	
Standard interface	
Network protocols	
Printing protocols	
Scanning protocols	
Environmental data	
Power consumption active mode (printing)	
Power consumption ready mode (standby)	
Power consumption sleep mode	
Power requirements (V/Hz/Ams)	
Energy consumption per print	
Sound pressure active mode (printing)	
Sound pressure ready mode (standby)	
Ozone concentrations	
Recyclability hardware	
Recyclability toner	
Size print engine	
Weight print engine	
Size scanner	
Weight scanner	
Supplies	
Consumable type	
Size	

Océ Scanner Express, integrated on top color scanner for copying and scanning
Additional roll unit (max. 2 rolls per printer)
Color user interface available early 2010
Adobe PostScript 3/PDF file interpreter. Enables the submission of PDF files with USB flash drive or job submission tools directly to the printer
Windows driver for Windows Vista® (32 & 64bits), XP and Windows Server® 2003. Windows Terminal Server, Citrix® Metaframe and presentation server
Adobe Postscript3 driver for Windows XP and Windows Server 2003. Mac OS® 9, Mac OS X
Océ Express Web Tools for Windows Internet Explorer® and Mozilla® Firefox®
Ethernet 100 Mbits/s, 1GB/s
TCP/IP, SNMP, IPX/SPX, Windows APIPA
LPR, Novell® NDPS, FTP
FTP, SMB
Engine (printer + scanner): 1.2 kw; Controller: 38w
Engine (printer + scanner): 64w; Controller: 37w
Engine (printer + scanner): 64w; Controller: 37w, earned the ENERGY STAR®
100–240V, 50/60Hz, 20–10A (20A for <150V)
37 wh per E–size calculated average based on EPA ENERGY STAR TEC method
58dB(A) measured at operator level conform ISO norm 7780
26dB(A) measured at operator level conform ISO norm 7780
0.001mg/m ³ (<0.0005ppm) in a 25m ³ room with natural ventilation conform ISO norm 28360
Made of steel or highly recyclable plastics that up to 95% of the engine can either be upcycled or recycled. Remaining 5% are non toxic waste.
Bottles made of highly recyclable HDPE (High Density Polyethylene)
60.1" w > 31.5" D > 58.9" H including top delivery tray
397 lbs.
43.2" w > 12.1" D > 5.5" H fits on top of print engine
44 lbs.
Océ black toner
Bottle of 0.9 lb.

Beyond the Ordinary

Environmental Certifications



Awards



Partners Certifications



© 2009 Océ. Illustrations and specifications do not necessarily apply to products and services offered in each local market. Technical specifications are subject to change without prior notice. The Océ logo, "Océ," "Océ Image Logic," and "Océ PlotWave" are registered trademarks of Océ-Technologies B.V. "Océ PowerM" is a trademark of Océ-Technologies B.V. "USB" is a registered trademark of USB Corporation. "Windows," "Internet Explorer," "Windows XP," "Windows Server," and "Vista" are registered trademarks of Microsoft Corporation. "Adobe" and "Postscript" are registered trademarks of Adobe Systems, Inc. "Mozilla" and "Firefox" are registered trademarks of Mozilla Corporation. "Novell" is a registered trademark of Novell, Inc. "Citrix" is a registered trademark of Citrix Systems, Inc. "ENERGY STAR" is a registered trademark of the U.S. Environmental Protection Agency. "Mac OS" is a registered trademark of Apple Inc. All other trademarks are the property of their owners, and are respectfully acknowledged.



Printing for Professionals

Océ helps the people who make our world. Companies everywhere use Océ high-speed printing, technical documentation, and professional documents systems to keep the wheels of business, industry and government turning. Océ also helps the world. Developing products and services that add value to the document processes of our customers, while minimizing environmental impact and protecting health and safety, has always been one of our core principles. From bank statements to utility bills, from blueprints to newspapers, from on-demand documents to wide-format display graphics, Océ helps our professional customers go "Beyond the Ordinary" in print and document management.

Océ-Canada Inc.
 4711 Yonge Street, Suite 1100
 Toronto, Ontario
 M2N 6K8
 Canada
 1-800-668-1945
 Fax 1-416-224-5778
 email: info.ca@oce.com

For information and services, visit us at:
www.océ.ca